

Certifications available on most items.
 NP = No Papers/Certifications.
 * = Rusty or Damaged.
 Quantity on Hand and Total Drops based on Unit of Measure.

Call Sales Department for pricing.

Accurate as of 2020/03/31 3:37:42.

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
01 - HR Round and Square							
1-0190	.375 RD HR A36	20'	CWT	.380	20	0	5
1-0340	.812 RD HR NP*	20'	CWT	1.760	20	17	608
1-0440	1.125 RD HR A36	20'	CWT	3.380	20	20	1407
1-0700	2.250 RD HR A36 NP	20'	CWT	13.520	20	0	339
1-0785	2.500 RD HR C1117M	18/20	CWT	16.690	20	0	277
1-0810	2.750 RD HR A572-50	18/22	CWT	20.190	22	3	1376
1-0823	2.750 RD HR 1018 MOD	20'	CWT	20.190	20	0	297
1-0824	2.812 RD HR C1117	20'	CWT	21.120	20	3	1521
1-0883	3.250 RD HR C1117 NP	20'	CWT	28.210	20	0	188
1-0885	3.500 RD HR C-1018	20'	CWT	32.710	20	0	112
1-1182	6.500 RD HR C1541 NP	18/19	CWT	112.820	19	0	405
1-1232	7.250 RD HR C1045	15/17	CWT	140.750	17	0	315
1-1370	.875 SQ HR NP	20'	CWT	2.600	20	0	167
1-1540	2.500 SQ HR A36	20'	CWT	21.250	20	0	100
1-1769	#6 RE BAR GR 60	60'	CWT	1.500	60	0	720
1-1790	#3 RE BAR GR 60	20'	CWT	.380	20	44	339
1-1815	#11RE BAR GR 60	20'	CWT	5.313	20	1	107
02 - HR Strips							
2-0040	.125 X .500 P&O NP STR	20'	CWT	.213	20	0	6
2-0085	.125 X .625 P&O HR NP	20'	CWT	.270	20	2	14
2-0220	.125 X 1.750 P&O HR STR	20'	CWT	.740	20	403	6020
2-0265	.125 X 2.500 P&O HR STR	20'	CWT	1.060	20	101	2163
2-0560	.187 X .875 P&O HR STR	20'	CWT	.560	20	42	476
2-0605	.187 X 1.125 P&O HR STR	20'	CWT	.720	20	399	5750
2-0770	.187 X 3.500 P&O HR STR**	20'	CWT	2.230	20	0	44
2-0780	.187 X 3.250 P&O 1020	10'	CWT	2.072	10	27	560

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
02 - HR Strips							
2-0840	.187 X 6.000 HR STR	20' CWT	3.825	20	0	57	57
2-8955	.074 X .745 CR COIL	CWT	.188	1276	1	278	0
03 - HR Flats							
3-0325	.250 X 2.50 HR	20' CWT	2.130	20	16	894	171
3-0442	.250 X 4.50 HR FL NP	20' CWT	3.830	20	3	230	0
3-0660	.312 X 4.00 HR FL	20' CWT	4.250	20	4	340	0
3-0680	.312 X 7.00 HR FL	20' CWT	7.438	20	3	447	0
3-0682	.312 X 8.00 HR FL	20' CWT	8.500	20	1	170	0
3-0688	.312 X 11.0 UM PL	20' CWT	11.700	20	1	234	0
3-0950	.375 X 3.00 HR FL IMPORT	20' CWT	3.830	20	0	42	42
3-1245	.500 X 3.00 HR FL	20' CWT	5.100	20	0	65	65
3-1420	.625 X 1.25 HR FL	20' CWT	2.660	20	0	34	35
3-1480	.625 X 2.25 HR FL	20' CWT	4.781	20	41	4022	74
3-1535	.625 X 4.00 HR FL	20' CWT	8.500	20	0	119	119
3-1800	.750 X 6.00 HR FL	20' CWT	15.300	20	53	16675	457
3-1935	1.00 X 1.25 HR FL	20' CWT	4.250	20	30	2657	54
3-1940	1.00 X 2.00 HR MANGANESE	18' CWT	6.800	18	0	287	289
3-2230	1.25 X 5.50 HR FL	20' CWT	23.380	20	0	438	437
3-2340	1.50 X 2.50 HR FL	20' CWT	12.750	20	0	133	133
3-2387	1.50 X 6.00 HR FL	20' CWT	30.600	20	0	158	158
3-2540	2.00 X 3.00 HR FL	20' CWT	20.400	20	0	167	167
3-2720	4.00 X 5.00 HR FL	20' CWT	68.064	20	0	684	684
04 - HR Bar Angel							
4-0211	1.250 X 1.25 X .125 L GV NP	20' CWT	1.061	20	0	9	9
4-0220	1.250 X 1.25 X .187 L	20' CWT	1.480	20	5	160	0
4-0270	1.375 X .87 X .187 L NP	20' CWT	1.320	20	0	24	24
4-0348	1.750 X 1.75 X .125 L	20' CWT	1.440	20	1	29	0
4-0400	2.000 X 1.50 X .125 L	20' CWT	1.440	20	1	29	0
4-0580	2.500 X 1.50 X .250 L	20' CWT	3.190	20	0	63	0
4-0640	2.500 X 2.00 X .375 L	20' CWT	5.300	20	0	77	77
05 - HR Structural Angle							

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
05 - HR Structural Angle							
5-0440	3.5 X 3.0 X .250 L	20'	CWT	5.400	20	44	4752 0
5-0495	3.5 X 3.5 X .250 L	20'	CWT	5.800	20	36	4440 170
5-0497	3.5 X 3.5 X .250 L	40'	CWT	5.800	40	25	6957 928
5-0513	3.5 X 3.5 X .312 L	40'	CWT	7.200	40	0	106 106
5-1062	6.0 X 3.5 X .375 L	40'	CWT	11.700	40	0	87 87
5-1160	7.0 X 4.0 X .375 L	40'	CWT	13.600	40	0	284 284
5-1420	8.0 X 8.0 X .750 L	20'	CWT	38.900	20	0	646 646
06 - HR Bar Channel							
6-0380	3.00 X 3.00 X.375 T	20'	CWT	7.800	20	0	109 109
07 - S & W & C, Shape & T							
7-0010	S 3 X 5.7#	40'	CWT	5.700	40	23	5400 140
7-0030	T 3 X 6.25#	96.875"	CWT	6.250	8	0	100 100
7-0281	W 6 X 20.0#	55'	CWT	20.000	55	0	500 503
7-0338	W 12 X 65.0#	50'	CWT	65.000	50	4	13000 0
7-0361	W 8 X 31.0#	60'	CWT	31.000	60	0	623 623
7-0383	W 10 X 49.0#	60'	CWT	49.000	60	0	687 689
7-0393	W 10 X 30.0#	50'	CWT	30.000	50	0	84 84
7-0404	W 12 X 22.0#	60'	CWT	22.000	60	0	882 882
7-0426	W 12 X 35.0#	40'	CWT	35.000	40	0	1367 1369
7-0443	W 12 X 58.0#	40'	CWT	58.000	40	0	812 811
7-0444	W 12 X 72.0#	40'	CWT	72.000	40	2	5760 0
7-0445	W 12 X 72.0#	45'	CWT	72.000	45	4	12960 0
7-0485	W 18 X 46.0#	50'	CWT	46.000	50	0	378 378
7-0492	W 21 X 44.0#	40'	CWT	44.000	40	0	2332 2332
7-0601	C 4 X 5.4# GLV NP	20'	CWT	5.400	20	0	58 58
7-1078	MC 9 X 25.4#	20'	CWT	25.400	20	0	138 138
7-1112	MC12 X 50.0#	40'	CWT	50.000	40	0	528 528
7-1203	MC 8 X 21.4#	40'	CWT	21.400	40	0	428 428
08 - HR Sheet							
8-0555	7 GA A572-50 P&O	48 X 96	CWT	7.500	32	0	49 49
8-0950	10 GA HR P&O CS-B	48 X 96	CWT	5.625	32	0	33 33

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
08 - HR Sheet							
8-1585	.125 AR450 48 X 120	CWT	5.105	40	0	301	301
8-1884	11 GA HR P&O 19.437 X 55.687	CWT	5.000	7	1	2059	2014
8-2970	12 GA GR50 P&O 1011F 48 X 96	CWT	4.380	32	5	702	0
8-3129	12 GA HR CS-B 72 X 144	CWT	4.375	72	0	203	203
09 - CR Sheet							
9-0025	.050 X 1.125 CR DQ COIL	CWT	.191	100	36	700	0
9-0460	12 GA CR DQ AL 48 X 120	CWT	4.375	40	0	144	144
9-1280	14 GA CR CSB 60 X 120	CWT	3.125	50	0	1	91
9-2690	20 GA CR CSB 60 X 120	CWT	1.500	50	0	1213	1246
10 - Galvanized Sheet							
10-0011	10 GA GALV G90 * 48 X 120	CWT	5.780	40	23	5318	0
10-0013	11 GA GALV G90 48 X 96	CWT	5.156	32	0	494	1266
10-0018	11 GA GALV G90 48 X 120	CWT	5.156	40	0	1485	1485
10-0115	14 GA ALUMINIZED 48 X 96	CWT	3.280	32	1	105	0
10-0119	14 GA GALV G90 48 X 96	CWT	3.280	32	4	494	62
10-0140	14 GA GALV 48 X 104	CWT	3.280	34	7	873	60
10-0280	18 GA GALV G90 48 X 120	CWT	2.150	40	1	134	48
10-0600	24 GA GALV G90 48 X 96	CWT	1.156	32	0	31	68
10-0700	26 GA GALV G90 48 X 96	CWT	.910	32	1	91	61
10-0740	28 GA GALV NP 36 X 96	CWT	.781	24	0	40	40
11 - HR Plate							
11-0159	.187 HR A36 120 X 240	CWT	7.660	200	0	425	425
11-0280	.250 HR A36 72 X 288	CWT	10.210	144	0	168	143
11-0297	.250 HR P&O CS-B 60 X 96	CWT	10.210	40	1	1644	1224
11-0328	.250 HR A588 96 X 240	CWT	10.210	160	0	575	575
11-0331	.250 HR A514-B 96 X 240	CWT	10.210	160	0	417	417
11-0339	.250 HR A656 GR80 TYPE7	CWT	10.210	32	0	170	170
11-0501	.312 HR C1045 96 X 240	CWT	12.760	160	0	569	569
11-1007	.500 HR C1045 96 X 240	CWT	20.420	160	0	727	727
11-1354	.750 HARDOX AR 450 96 X 288	CWT	30.630	192	0	1921	1921
11-2367	1.500 HARDOX AR400 72 X 96	CWT	61.200	192	0	542	542

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
11 - HR Plate							
11-2377	1.625 AISI C1015	96 X 240	CWT	66.300	160	0	1177
11-2650	2.000 A516 GR 70	96 X 240	CWT	81.600	160	0	1297
11-6505	8.000 A36 NO CUT	22 X 42	CWT	326.400	6	1	2205
12 - Floor Plate							
12-0150	.187 STL FLOOR PLT	60 X 120	CWT	8.700	50	0	58
12-0265	.250 STL FLOOR PLT	60 X 240	CWT	11.250	100	0	126
12-0290	.250 STL FLOOR PLT	72 X 240	CWT	11.250	120	0	43
12-0368	.500 STL FLR PLT NP	72 X 240	CWT	21.450	120	0	306
12-0410	.750 STL FLOOR PLT	96 X 240	CWT	31.650	160	0	9363
13 - CD Flats							
13-0140	.125 X .87 CR 1018	12'RL	CWT	.372	12	329	1485
13-0300	.125 X 3.00 CR 1018	12'RL	CWT	1.275	12	93	1423
13-0380	.187 X .25 CD 1018 NP	12'RL	CWT	.159	12	4	8
13-0520	.187 X .87 CD 1018	12'RL	CWT	.558	12	0	4
13-0544	.187 X 1.00 CR 1018	12'RL	CWT	.638	12	5	40
13-0570	.187 X 1.37 CR 1018	12'RL	CWT	.877	12	55	587
13-0580	.187 X 1.50 CR 1018	12'RL	CWT	.956	12	24	285
13-0610	.187 X 1.75 CD 1018	12'RL	CWT	1.116	12	15	208
13-0940	.250 X 1.25 CR 1018	12'RL	CWT	1.063	12	0	6
13-1100	.250 X 2.75 CD 1018 NP	RL	CWT	2.338	13	27	840
13-1180	.250 X 4.00 CR 1018	12'RL	CWT	3.400	12	0	19
13-1380	.312 X .62 CD 1018	12'RL	CWT	.664	12	0	6
13-1420	.312 X .87 CD 1018 NP	12'RL	CWT	.930	12	0	18
13-1520	.312 X 2.00 CD 1018	12'RL	CWT	2.125	12	49	1273
13-1540	.312 X 2.25 CD 1018 NP	12'RL	CWT	2.391	12	4	137
13-1595	.312 X 8.00 CD 1018	12'RL	CWT	8.480	12	0	70
13-2540	.500 X 7.00 CD 1018	12'RL	CWT	11.900	12	2	375
13-3120	.750 X 3.25 CD 1018	12'RL	CWT	8.288	12	4	464
13-4680	2.00 X 5.00 CD 1018	12'RL	CWT	34.000	12	0	187
13-4740	2.00 X 10.0 CD 1018	10'RL	CWT	68.000	10	1	1215
13-4785	2.50 X 3.50 CD 1018	12'RL	CWT	29.757	12	5	2349
13-4790	2.50 X 4.00 CD 1018	12'RL	CWT	34.000	12	0	175

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
13 - CD Flats							
13-4850	3.00 X 5.00 CD 1018	12'RL	CWT	51.000	12	0	198
13-4885	3.50 X 4.50 CD 1018	12'RL	CWT	53.600	12	0	58
14 - CD Rounds							
14-0065	.156 RD CD 1018	12'RL	CWT	.065	12	1525	1221
14-0080	.156 RD CD 12L15X NP	12'RL	CWT	.065	12	270	216
14-0170	.187 RD CD 12L14	12'RL	CWT	.094	12	489	538
14-0250	.250 RD CD 1018 ** NP	12'	CWT	.167	12	16	32
14-0520	.322 RD CD 12L15X NP	12'RL	CWT	.274	12	138	457
14-0540	.343 RD CD 1215 NP	12'RL	CWT	.315	12	26	100
14-0730	.406 RD CD 12L14 N/P	12'RL	CWT	.441	12	0	5
14-1000	.500 RD CD 1215	12'RL	CWT	.668	12	3	24
14-1020	.500 RD CD 12L14	12'RL	CWT	.668	12	57	461
14-1220	.625 RD CD 12L14	12'RL	CWT	1.040	12	112	1412
14-1240	.625 RD CD 1117 NP	12'RL	CWT	1.043	12	2	25
14-1330	.687 RD CD LEAD NP	12'RL	CWT	1.260	12	1	30
14-1425	.750 RD CD 1141	12'RL	CWT	1.500	12	0	14
14-1490	.750 RD CD FATIGPRF NP	12'RL	CWT	1.500	12	6	108
14-1525	.812 RD CD 12L14	12'RL	CWT	1.760	12	29	623
14-1590	.875 RD CD 12L14	12'RL	CWT	2.040	12	23	586
14-1740	1.00 RD CD 1215	12'RL	CWT	2.670	12	0	31
14-2460	1.62 RD CD 1215	12'RL	CWT	7.050	12	8	758
14-2830	1.93 RD CD 1045	20'RL	CWT	10.020	20	2	959
14-2910	2.00 RD CD 12L14	12'RL	CWT	10.680	12	52	6716
14-3120	2.31 RD CD 1018 NP	12'RL	CWT	14.280	12	5	862
14-3140	2.31 RD CD 1215 NP	12'RL	CWT	14.280	12	5	1066
14-3230	2.43 RD CD 12L14 NP	12'RL	CWT	15.870	12	6	1327
14-3360	2.62 RD CD 12L14 N/P	12'RL	CWT	18.400	12	0	127
14-3485	2.87 RD CD 12L14 NP	12'RL	CWT	22.070	12	7	2082
14-3590	3.12 RD CD 1018	12'RL	CWT	26.080	12	0	161
14-3750	3.37 RD CD 1018	20'RL	CWT	30.420	20	1	1793
15 - CD Hexagon							
15-0120	.312 HEX CD C1018 NP	12'RL	CWT	.287	12	397	1353

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
15 - CD Hexagon							
15-0140	.312 HEX CD C1213 NP 12'RL	CWT	.287	12	5	20	0
15-0170	.375 HEX CD C12L14 12'RL	CWT	.414	12	239	1195	0
15-0210	.437 HEX CD C12L14 12'RL	CWT	.563	12	40	276	0
15-0300	.562 HEX CD C1215 NP 12'RL	CWT	.932	12	117	1315	0
15-0550	.937 HEX CD NP 12'RL	CWT	2.590	12	0	31	0
15-0690	1.250 HEX CD C12L14 12'RL	CWT	4.600	12	0	53	53
15-0745	1.375 HEX CD C12L14 12'RL	CWT	5.570	12	3	310	45
15-0860	1.687 HEX CD C1018 NP 12'RL	CWT	8.400	12	9	934	0
15-1165	2.750 HEX CD C12L14 12'RL	CWT	22.270	12	0	121	121
16 - CD Square							
16-0200	.312 SQ CD C12L14 NP 12'RL	CWT	.332	12	111	444	0
17 - SS Rounds							
17-0020	.125 RD T303 12'RL	CWT	.042	12	16	8	0
17-0990	.866 RD T304/304L 12'RL	CWT	2.045	12	5	123	0
17-1415	1.500 RD T410 NP 12'RL	CWT	6.008	12	0	37	37
17-1422	1.500 RD SS NO GRD NP 12'RL	CWT	6.008	12	0	48	48
17-1545	1.875 RD T304 12'RL	CWT	9.330	12	0	4	0
17-1666	2.500 RD T316/316L 12'RL	CWT	16.690	12	0	75	75
17-1675	2.750 RD T410 12'RL	CWT	20.200	12	0	54	54
17-1693	3.250 RD T416 NP 12'RL	CWT	28.210	12	0	196	196
20 - SS Flats							
20-0402	.250 X 2.500 T304 12'RL	CWT	2.125	12	0	25	0
20-0440	.375 X 1.000 T304 12'RL	CWT	1.280	12	0	11	11
20-0460	.375 X 1.250 T304 12'RL	CWT	1.580	12	1	31	0
21 - SS Angle							
21-0065	1.0 X 1.0 X.25 L 304 20'RL	CWT	1.490	20	0	39	39
21-0068	1.0 X 1.0 X.25 L 316L NP	CWT	1.490	20	0	9	9
21-0290	3.0 X 3.0 X.25 L 316L 20'RL	CWT	4.900	20	0	23	23
22 - SS Plate							

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
22 - SS Plate							
22-0022	.187 T309	48 X 96	CWT	8.580	32	0	184
22-0052	.250 T309	48 X 96	CWT	11.160	32	0	213
22-0060	.250 T310	48 X 120	CWT	11.160	40	0	117
22-0101	.312 T304/L	48 X 96	CWT	13.750	32	0	138
22-0104	.250 T316L HRAP	72 X 120	CWT	11.162	60	0	56
22-0119	.375 T410	96 X 120	CWT	16.500	80	0	99
22-0120	.500 T410	96 X 120	CWT	21.660	80	0	75
22-0124	.500 T304L HRAP	60 X 120	CWT	21.660	50	0	29
22-0125	.500 T309	48 X 96	CWT	21.660	32	0	31
22-0127	.500 T304H	60 X 120	CWT	21.660	50	0	252
22-0128	.625 T410	48 X 96	CWT	26.830	32	0	512
22-0200	1.500 T304L	96 X 64	CWT	63.340	42	0	86
22-0255	2.000 T316/L	MISC	CWT	84.010	32	0	21
22-0280	3.000 T316L	24 X 60	CWT	126.300	10	0	63
22-0500	.125 T304 FL PLT	48 X 96	CWT	6.150	32	0	54
22-0550	.187 T304 FL PLT	48 X 120	CWT	8.700	40	0	240
22-0551	.187 T316 FL PLT	48 X 120	CWT	8.750	40	0	54
22-0580	.250 T304 FL PLT	48 X 144	CWT	11.250	48	0	163
22-0600	.250 T304 FL PLT	48 X 120	CWT	11.250	40	0	266
23 - SS Sheet							
23-0021	7 GA T304 2B *	60 X 90	CWT	7.871	37	3	1464
23-0034	7 GA T316L 2B	48 X 144	CWT	7.871	48	0	373
23-0036	7 GA T304 2B	48 X 76	CWT	7.871	25	0	68
23-0039	7 GA T304 2B	60 X 90	CWT	7.871	37	1	690
23-0040	7 GA T304 2B	48 X 120	CWT	7.871	40	0	88
23-0041	7 GA T304 2B	60 X 96	CWT	7.871	40	1	591
23-0061	8 GA T304 2B	48 X 80	CWT	6.930	26	0	161
23-0070	10 GA T410	48 X 96	CWT	5.670	32	0	68
23-0396	14 GA T309	2 X 48	CWT	3.154	0	0	4
23-0483	14 GA T304 #4	48 X 120	CWT	3.154	40	0	16
23-0484	14 GA T430 #4 PVC	48 X 120	CWT	3.150	40	0	57
23-0520	16 GA T310	48 X 96	CWT	2.499	32	0	70
23-0720	16 GA T304 #4	48 X 120	CWT	2.499	40	0	28
23-0800	16 GA T304 2B	60 X 120	CWT	2.499	50	0	69
23-0882	18 GA T304 2B PVC	48 X 120	CWT	2.016	40	0	36

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
23 - SS Sheet							
23-0920	18 GA T316L 2B	48 X 120	CWT	2.016	40	0	7
23-0926	18 GA T304 #4 PVC	60 X 120	CWT	2.016	50	0	47
24 - AL Sheet							
24-0070	.020 MIRO AL	49 X 96	CWT	.291	32	15	143
24-0575	.050 3003-H14 AL	48 X 96	CWT	.713	32	1	45
24-0580	.050 3003-H14 AL	48 X 120	CWT	.713	40	2	59
24-0843	.080 3003-H14 AL *	48 X 96	CWT	1.139	32	0	36
24-1015	.090 6061-T6 AL	60 X 144	CWT	1.270	60	0	30
24-1130	.125 3003-H14 AL	48 X 120	CWT	1.782	40	0	7
25 - AL Plate							
25-0115	.312 CAST NP*	48 X 144	CWT	4.560	48	13	3107
25-0125	.312 2024-T351	48 X 144	CWT	4.560	48	0	32
25-0300	.500 AL CAST	48 X 144	CWT	7.270	48	0	21
25-0390	.625 6061-T651	48 X 144	CWT	8.820	48	0	7
25-0393	.625 AL CAST	60 X 144	CWT	9.090	60	0	32
25-0482	.750 6061-T651	60 X 144	CWT	10.600	60	0	6
25-0500	.875 6061-T651	48 X 144	CWT	12.350	48	0	61
25-0569	1.000 AL CAST NP**	75 X 78	CWT	14.540	40	0	70
25-0605	1.250 AL CAST	60 X 144	CWT	18.180	60	0	9
25-0655	1.500 2024-T351	48 X 144	CWT	21.820	48	0	18
25-0665	1.500 AL CAST	60 X 144	CWT	21.820	60	0	529
25-0720	2.500 AL CAST	60 X 144	CWT	36.360	60	0	25
25-0730	2.500 6061-T651	48 X 144	CWT	35.300	48	0	41
25-0739	3.000 2024-T351	PLATE	CWT	43.630	32	0	49
25-0752	3.000 2024-T351	48 X 144	CWT	43.630	48	0	74
25-0780	4.000 6061-T651	48 X 96	CWT	56.540	32	0	113
25-0790	4.500 6061-T651	53 X 60	CWT	63.600	22	0	59
25-0798	.125 3003-H22 TREAD	60 X 120	CWT	1.920	50	0	53
25-0840	.250 6061-T6 TREAD	48 X 192	CWT	3.670	64	0	38
25-0842	.250 3003-H22 TREAD	48 X 192	CWT	3.600	64	0	102
25-0850	.375 6061-T6 TREAD	PLATE	CWT	5.430	32	0	220

26 - AL Rounds

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
26 - AL Rounds							
26-0140	.187 RD 2024-T4	12'RL CWT	.034	12	32	13	0
26-0240	.250 RD 2024-T4	12'RL CWT	.060	12	14	10	0
26-0380	.375 RD 2011-T3	12'RL CWT	.134	12	0	1	1
26-0500	.437 RD 6061-T6511	12'RL CWT	.182	12	11	26	0
26-0940	.750 RD 6061-T6511	12'RL CWT	.535	12	6	40	0
26-1080	.875 RD 6061-T6511	12'RL CWT	.729	12	1	9	0
26-1800	1.875 RD 6061-T6	12'RL CWT	3.347	12	0	31	33
26-1880	2.000 RD 2024-T351	12'RL CWT	3.823	12	0	23	23
26-1900	2.000 RD 6061-T6	12'RL CWT	3.808	12	1	46	0
26-2480	4.000 RD 6061-T6511	12'RL CWT	15.230	12	0	52	52
26-2580	5.000 RD 6061-T6	12'RL CWT	23.800	12	0	441	168
27 - AL Hexagon							
27-0320	.875 HEX 2017-T451	12'RL CWT	.814	12	1	10	0
27-0400	1.500 HEX 2017-T351	12'RL CWT	2.390	12	0	25	25
28 - AL Square							
28-0060	.500 SQ 2024-T351	12'RL CWT	.304	12	1	4	0
28-0325	1.500 SQ 6061-T6511	12'RL CWT	2.730	12	0	10	11
28-0338	2.500 SQ 6061-T6511	12'RL CWT	7.590	12	0	40	40
29 - AL Rectangle							
29-0020	.125 X .500 6061-T6	12'RL CWT	.075	12	105	95	0
29-0220	.187 X .500 6061-T6	12'RL CWT	.171	12	2	5	0
29-0280	.187 X 1.00 2024-T4	12'RL CWT	.228	12	2	8	0
29-0305	.187 X 1.25 6061-T6	12'RL CWT	.285	12	11	40	0
29-0365	.250 X .500 6061-T6 NP	12'RL CWT	.150	12	2	4	0
29-0380	.250 X .750 2024-T4	12'RL CWT	.228	12	2	8	2
29-0385	.250 X .750 6061-T6511	12'RL CWT	.228	12	0	6	6
29-0700	.375 X .50 6061T6	12'RL CWT	.228	12	1	3	0
29-0910	.500 X 1.00 6061-T6	12'RL CWT	.608	12	3	25	3
29-0955	.500 X 1.75 6061T6511	12'RL CWT	1.060	12	17	216	0
29-1000	.50 X 3.0 6061T6511	12'RL CWT	1.820	12	0	9	9
29-1090	.62 X 1.0 6061T6511	12'RL CWT	.759	12	0	3	3

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops	
29 - AL Rectangle								
29-1110	.62 X 2.0 6061T6511	12'RL	CWT	1.510	12	5	103	12
29-1114	.62 X 3.0 6061T6511	12'RL	CWT	2.212	12	33	1024	134
29-1242	.75 X 2.5 6061-T6	12'RL	CWT	2.280	12	0	22	22
29-1260	.75 X 3.0 6061T6511	12'RL	CWT	2.730	12	5	219	55
29-1341	1.0 X 1.5 6061T6511	12'RL	CWT	1.820	12	0	15	15
30 - AL Angle								
30-0020	.75 X .75 X.12 L 6061	25'RL	CWT	.200	25	3	16	0
30-0230	2.0 X 2.0 X.37 L 6061	25'RL	CWT	1.590	25	0	24	24
30-0460	10. X 8.640# CH 6061	25'RL	CWT	8.640	25	0	42	42
30-0465	.75 X.50 X.125 CH 6063	16'RL	CWT	.221	16	13	46	0
30-0490	6.0 X 5.250# I 6061	N/P	CWT	5.250	25	0	34	34
30-0501	6.0 X 4.692# I 6061	25'RL	CWT	4.692	25	0	115	115
30-0510	8.0 X 6.350# I 6061	25'RL	CWT	6.350	25	1	159	0
30-0518	1.5 X 1.5 X.21 T 6061	25'RL	CWT	.825	25	4	100	0
30-0550	1.3 X .75 X.08 CH AL NP	20'R	CWT	.310	20	4	41	12
30-0555	1.5 X 1.0 X.12 CH AL NP	12'R	CWT	.477	12	1	6	0
30-0558	1.7 X .37 X.12 CH AL NP	20'R	CWT	.300	20	0	4	4
30-0595	2.0 X 2.0 X.18 CH AL NP	24'R	CWT	1.240	24	0	13	13
30-0800	2.0 X .75 X.07 CH AL NP	12'R	CWT	.200	12	0	2	0
31 - AL Extrusion								
31-0044	1.2 X 1.2 X.18 L 6063	16'RL	CWT	.519	16	0	8	0
31-0045	2.0 X 2.0 X.18 L 6063	16'RL	CWT	.875	16	4	68	12
31-0071	1.2 X .50 X.12 L AL NP	16'RL	CWT	.244	16	11	49	3
31-0080	1.0 X .50 X.12 C 6063	16'RL	CWT	.263	16	0	3	3
31-0100	.75 X 1.0 X.12 C 6063	16'RL	CWT	.350	16	1	6	0
31-0140	.75 X .37 X.12 C 6063	16'RL	CWT	.187	16	0	3	3
31-0145	.50 X .50 X.09 C 6063	16'RL	CWT	.148	16	3	9	0
31-0300	1.0 X .75 X.12 L 6063	16'RL	CWT	.244	16	3	12	0
31-0900	3.0 AL RAILING NP	15'RL	CWT	.800	15	0	12	12
32 - AL Tubing & Pipe								
32-0510	2.50 OD X.500W 6061T6511	12'	CFT	3.695	12	0	8	8

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
32 - AL Tubing & Pipe							
32-0521	3.00 OD X.125W 6061	12'	CFT	1.328	12	0	12
32-0688	.75 SQ X.062W 6063	24'	CFT	.214	24	1	24
32-0689	.75 SQ X.057W AL NP	15'	CFT	.200	15	59	896
32-0760	4.00 SQ X.125W 6063	24'	CFT	2.326	24	0	5
32-0785	1.0 X .50 X.125W 6063	24'	CFT	.375	24	0	11
32-0787	1.0 X .75 X.048W AL NP	14'	CFT	.400	14	0	10
32-0818	4.0X 1.0X.125W AL NP	24'	CFT	1.397	24	0	16
33 - Expanded MTL & PERF.							
33-0061	.500 #16 RAISD EXP 48 X 120		CSQFT	.860	40	2	80
33-0080	.500 #13 RAISD T304 48 X 96		CSQFT	1.380	32	1	32
33-0856	.063 .12X.18 AL PERF48 X 120		CSQFT	.550	40	7	289
33-0871	16GA .09X.15 PERF48 X 96		CSQFT	1.670	32	0	6
33-0925	.250 .75X1.0 PERF48 X 120		CSQFT	5.000	40	0	8
34 - Brass Rounds							
34-0380	.250 RD CA360 BRASS	12'	CWT	.181	12	3	9
34-0580	.375 RD CA360 BRASS	12'	CWT	.407	12	5	29
34-0740	.531 RD BRASS N/P	12'	CWT	.817	12	32	323
34-0760	.562 RD CA360 BRASS	12'	CWT	.915	12	0	5
34-0900	.750 RD CA360 BRASS	12'	CWT	1.630	12	0	24
36 - Brass Square							
36-0100	.312 SQ CA360 BRASS	12'	CWT	.360	12	0	4
37 - Brass Hexagon							
37-0580	1.750 HX CA360 BRASS	12'	CWT	9.870	12	0	33
38 - Brass Angle							
38-0020	.750 X .750 X.125 L NP BRASS		CWT	.640	12	0	15
38-0090	1.50 X 1.50 X.250 L NP BRASS		CWT	2.520	10	0	45
38-0100	2.00 X 2.00 X.250 L NP BRASS		CWT	3.420	8	0	70
40 - Lead Sheet, Zinc, Solder, Ells & Gates							

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
40 - Lead Sheet, Zinc, Solder, Ells & Gates							
40-0260	.062 C260 HH BRASS 36 X 96	CWT	2.800	24	1	91	22
40-0275	.080 HH NP BRASS 36 X 96	CWT	3.542	24	0	16	16
40-0320	.125 C260 HH BRASS 36 X 96	CWT	5.544	24	0	126	126
40-0380	.250 HH BRASS 36 X 96	CWT	11.000	24	0	7	7
40-0430	.500 HH NP BRASS 36 X 96	CWT	22.000	24	0	157	157
42 - Copper & Brass Tube							
42-0076	.37 OD X.03W CU TUBE NP	CWT	.145	19	8	23	0
46 - Copper Sheet							
46-0110	.093 SCU C110 36 X 66	CWT	4.330	16	0	69	69
48 - Flat Ground Stock							
48-4560	.500 X 7.000 A2 FL GR ST 36"	CINCH	11.900	36	0	36	37
48-6836	.500 X 4.00 LO CRB GR ST 24"	CINCH	6.800	24	1	24	0
49 - o-1 & o-6 Tool Steel							
49-0100	DCF .500 RD 01 TL STL 12/13	CWT	.668	13	1	23	6
49-0140	DCF .625 RD 01 TL STL 12'RL	CWT	1.040	12	0	37	37
49-0180	DCF .750 RD 01 TL STL 12'RL	CWT	1.500	12	0	25	25
49-0740	DCF 4.000 RD 01 TL STL 12'RL	CWT	42.730	12	0	205	205
49-2000	.375 01 32 X 72	CWT	16.704	16	0	232	232
49-2560	.500 01 32 X 72	CWT	21.890	16	0	111	111
49-3000	.625 01 32 X 72	CWT	26.930	16	0	194	194
49-3380	.750 01 32 X 72	CWT	32.110	16	0	354	354
49-3800	.875 01 22 X 72	CWT	37.150	16	0	199	199
49-4300	1.000 01 32 X 72	CWT	42.190	16	0	238	238
49-6500	4.000 01 34 X 56	CWT	165.450	13	0	993	993
50 - A-2 & P-20 & 420							
50-0340	DCF 2.500 RD A2 TL STL 12/13	CWT	16.690	13	0	179	179
50-1320	.375 X 2.000 A2	CWT	2.550	6	0	25	25

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
50 - A-2 & P-20 & 420							
50-1700	.500 A2 DCF		21.890	16	0	239	239
50-1710	.500 X .500 A2	32 X 72	.850	6	0	32	32
50-1715	.500 X .750 A2		1.275	6	0	42	42
50-1720	.500 X 1.000 A2		1.700	6	0	25	25
50-1735	.500 X 1.750 A2		2.975	6	0	42	42
50-1740	.500 X 2.000 A2		3.400	6	0	18	18
50-1770	.500 X 6.000 A2		10.200	6	0	106	106
50-1780	.500 X 8.000 A2		13.600	6	0	266	266
50-2600	.750 A2 DCF		32.110	16	0	252	252
50-2610	.750 X .750 A2	32 X 72	1.913	6	0	53	53
50-2620	.750 X 1.000 A2		2.550	6	0	2	2
50-2630	.750 X 1.250 A2		3.188	6	0	15	15
50-2640	.750 X 1.500 A2		3.825	6	0	5	5
50-2660	.750 X 2.000 A2		5.100	6	0	3	3
50-2690	.750 X 6.000 A2		15.300	6	0	34	34
50-2700	.750 X 8.000 A2		20.400	6	0	57	57
50-2710	.750 X 12.00 A2		30.600	6	0	130	130
50-3300	1.000 DCF SR		42.190	16	0	303	388
50-3330	1.000 X 1.500 A2	32 X 72	5.100	6	0	42	42
50-3340	1.000 X 1.750 A2		5.950	6	0	160	160
50-3350	1.000 X 2.000 A2		6.800	6	0	38	38
50-3370	1.000 X 2.500 A2		8.500	6	0	53	53
50-3380	1.000 X 3.000 A2		10.200	6	0	18	18
50-3390	1.000 X 3.500 A2		11.900	6	0	145	146
50-3400	1.000 X 4.000 A2		13.600	6	0	98	98
50-3410	1.000 X 5.000 A2		17.000	6	0	138	138
50-3420	1.000 X 8.000 A2		27.200	6	0	60	60
50-3450	1.000 X 12.00 A2		40.800	6	0	55	55
50-3910	1.250 X 1.250 A2		5.313	6	0	48	48
50-3930	1.250 X 3.000 A2		12.750	6	0	28	28
50-3935	1.250 X 3.500 A2		14.875	6	0	58	58
50-3960	1.250 X 8.000 A2		34.000	6	0	135	135
50-4360	1.500 A2 DCF		62.640	16	0	518	518
50-4490	1.500 X 12.00 A2	32 X 72	61.200	6	0	90	90
50-4600	1.750 A2 DCF		72.860	16	0	187	187

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
50 - A-2 & P-20 & 420							
50-4610	1.750 X 2.000 A2	CWT	11.900	6	0	64	64
50-4615	1.750 X 2.500 A2	CWT	14.875	6	0	162	161
50-5400	3.000 A2 DCF 32 X 72	CWT	123.840	16	0	1367	1367
50-5665	1.000 X .750 A10 83"L	CWT	3.180	6	0	24	24
50-8300	.500 420 ESR 32 X 72	CWT	21.890	16	0	32	32
50-8320	.750 420 ESR 32 X 72	CWT	32.110	16	0	268	268
50-8325	.875 420 ESR 33 X 79	CWT	37.152	18	0	116	116
50-8340	1.250 420 ESR 32 X 72	CWT	52.416	16	0	72	72
50-8346	1.575 420 ESR 42 X 72	CWT	64.259	21	0	128	128
50-8350	1.500 420 ESR 32 X 72	CWT	62.640	16	0	911	911
50-8360	1.750 420 ESR 32 X 72	CWT	72.864	16	0	307	307
50-8380	2.500 420 ESR 32 X 72	CWT	103.392	16	0	424	424
51 - D-2 & S-7							
51-1060	.500 D2 DCF 32 X 72	CWT	21.890	16	0	84	83
51-1090	.500 X 1.000 D2	CWT	1.800	6	0	50	50
51-1120	.500 X 2.000 D2	CWT	3.500	6	0	54	55
51-1400	.224 D2 HR&O 18 X 72	CWT	9.150	9	0	30	30
51-3140	.750 D2 32 X 72	CWT	30.630	16	0	671	671
51-3160	.750 X 1.000 D2	CWT	2.550	6	0	35	35
51-3170	.750 X 1.500 D2	CWT	3.825	6	0	42	42
51-3180	.750 X 2.000 D2	CWT	5.100	6	0	31	31
51-3200	.750 X 3.000 D2	CWT	7.650	6	0	92	92
51-3260	.750 X 4.000 D2	CWT	10.200	6	0	98	98
51-3940	1.000 D2 32 X 72	CWT	42.190	16	0	702	702
51-3950	1.000 X 1.000 D2	CWT	3.400	6	0	100	100
51-3965	1.000 X 2.000 D2	CWT	6.800	6	0	82	82
51-3975	1.000 X 3.000 D2	CWT	10.200	6	0	15	15
51-3985	1.000 X 4.000 D2	CWT	13.600	6	0	302	302
51-3995	1.000 X 6.000 D2	CWT	20.400	6	0	187	187
51-4200	1.250 D2 DCF 32 X 72	CWT	52.420	16	0	1383	1369
51-4270	1.250 X 3.000 D2	CWT	12.750	6	0	55	55
51-4290	1.250 X 4.000 D2	CWT	17.000	6	0	102	102
51-4320	1.250 X 8.000 D2	CWT	34.000	6	0	155	155

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
51 - D-2 & S-7							
51-4840	1.500 D2	32 X 72	CWT	62.640	16	0	1987
51-4855	1.500 X 3.000 D2		CWT	15.300	6	0	63
51-4860	1.500 X 4.000 D2		CWT	20.400	6	0	89
51-4900	1.750 D2 DCF	32 X 72	CWT	72.360	16	0	1002
51-4950	2.000 D2	32 X 72	CWT	83.090	16	0	1353
51-4965	2.000 X 4.000 D2		CWT	27.200	6	0	44
51-7910	.750 S7 DCF	32 X 72	CWT	32.110	16	0	830
51-7920	.750 X 3.000 S7		CWT	7.650	6	0	47
51-7930	.750 X 6.000 S7		CWT	15.300	6	0	56
51-7980	.750 X 8.000 S7		CWT	20.400	6	0	79
51-8310	1.000 X 1.750 S7		CWT	5.950	6	0	58
51-8315	1.000 X 2.000 S7		CWT	6.800	6	0	57
51-8420	1.250 S7 DCF	32 X 72	CWT	52.420	16	0	135
51-8440	1.250 X 1.500 S7		CWT	6.375	6	0	15
51-8615	1.500 X 3.000 S7		CWT	15.300	6	0	92
51-8960	3.000 S7 DCF	32 X 72	CWT	123.840	16	0	76
51-8990	3.500 S7 DCF	32 X 62	CWT	144.363	13	0	134
51-9030	4.000 S7 DCF	32 X 53	CWT	167.040	11	0	325
51-9040	6.000 S7 DCF	32 X 36	CWT	250.560	8	0	577
52 - MarshAlloy & Alloy Rounds							
52-0050	.187 4140 HR	33 X 73	CWT	7.651	16	0	256
52-1000	.250 4140/42PH	32 X 72	CWT	11.200	16	0	16
52-1010	.500 4140/42PH	33 X 72	CWT	21.890	16	0	34
52-1105	.50 X .50 4140/2 PH		CWT	.850	6	0	5
52-1110	.50 X 1.0 4140/2 PH		CWT	1.700	6	0	5
52-1115	.50 X 2.0 4140/2 PH		CWT	3.400	6	0	9
52-1120	.50 X 3.0 4140/2 PH		CWT	5.100	6	0	26
52-1330	1.0 X 1.5 4140/2 PH		CWT	5.100	6	0	18
52-1440	1.375 4140/42PH	32 X 72	CWT	57.600	16	0	206
52-1575	1.75X 3.0 4140/2 PH		CWT	17.850	6	0	70
52-1685	2.0 X 6.0 4140/2 PH		CWT	40.800	6	0	74
52-1860	3.500 4140/42PH	32 X 62	CWT	144.290	13	0	59
52-2050	6.000 MARSHALOY	32 X 36	CWT	249.120	8	0	148
52-3440	HR 3.00 RD 4140 QT	18/24	CWT	24.060	24	0	182
52-3715	HR 8.00 RD 4130 SR	24*RL	CWT	170.900	24	1	4736

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
52 - MarshAlloy & Alloy Rounds							
52-3940	CD .500 RD 4140 QT 12'	CWT	.670	12	55	444	3
52-3952	CD .500 RD 4150 TGP NP 12'R	CWT	.670	12	0	3	3
52-4020	CD .750 RD 4140/2QT * 12'	CWT	1.500	12	89	1618	0
52-4025	CD .750 RD 4140 A 12'	CWT	1.500	12	59	1062	0
52-4200	CD 1.87 RD 4140 QT 12'	CWT	9.400	12	0	48	48
52-4235	CD 2.00 RD 8620 12/13	CWT	10.690	13	1	343	120
53 - Bethadur, Brake Die L6 Bethalloy & H-13							
53-3600	.500 RD RT H13 A 12/14	CWT	.668	14	0	6	6
53-4075	8.500 RD RT H13 A 9/10	CWT	192.960	10	0	739	739
53-4320	1.500 H13 A 32 X 72	CWT	62.640	16	0	40	37
53-4440	2.000 H13 A 24 X 32	CWT	83.090	5	0	48	51
53-4750	4.000 H13 A RANDOM	CWT	167.040	16	0	1596	1596
54 - M-1, M-2, non-Tempering, & P-2							
54-2900	NON TEMP 1.000 SQ N/P 11/13	CWT	3.400	13	5	265	0
54-5200	.812 X 1.687 FL T15 9/10	CWT	4.662	10	1	93	0
55 - S-1, S-5, T-1, W-1, & HS							
55-0380	HR 2.500 RD S1 TL STL 10/12	CWT	16.690	12	0	187	186
55-4361	1.750 RD W2 10/12	CWT	8.180	12	0	98	0
58 - Steel Tubing & Pipe							
58-0006	1.00 ODX.375W STL 24'	CFT	2.500	24	1	24	0
58-0067	.625 ODX.049W T304 N/P 24'RL	CFT	.301	24	0	23	23
58-0074	.875 ODX.035W T304 WLD 20'R	CFT	.314	20	0	20	20
58-0090	.875 ODX.065W CREW 20'	CFT	.562	20	146	2920	0
58-0091	1.00 ODX.120W T304 WLD 20'RL	CFT	1.120	20	1	20	0
58-0093	.750 ODX.120W T304 SMLS N/P	CFT	1.120	20	0	9	9
58-0096	1.00 ODX.188W DOM 17/24	CFT	1.630	24	17	408	0
58-0126	1.50 ODX.035W CREW **NP 12'	CFT	.548	12	0	10	10
58-0145	1.00 ODX.065W T316 SMLS 20'R	CFT	.918	20	0	11	11
58-0151	1.50 ODX.250W DOM 17/24	CFT	3.338	24	0	5	29

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
58 - Steel Tubing & Pipe							
58-0152	1.00 ODX.109W DOM	20'	CFT	1.061	20	0	18
58-0156	1.50 ODX.095W J524 HY SML	20'	CFT	1.426	20	2	40
58-0223	1.87 ODX.120W HREW	10'	CFT	2.249	10	0	20
58-0334	2.50 ODX.312W DOM	17/24	CFT	5.335	24	7	182
58-0418	3.25 ODX.125W DOM	17/24	CFT	4.011	24	0	10
58-0423	4.00 ODX.065W T304	20'RL	CFT	2.732	20	0	15
58-0437	4.50 ODX.083W HREW	20'RL	CFT	3.920	20	0	11
58-0466	6.00 ODX.120W HREW	20'	CFT	7.536	20	0	10
58-0665	2.00 SQ X.180W T304	20'RL	CFT	4.450	20	0	12
58-0857	5.00 SQ X.500W STL	40'	CFT	29.780	40	1	60
58-0861	6.00 SQ X.313W STL	40'	CFT	23.340	40	4	195
58-0881	8.00 SQ X.500W STL	40'	CFT	48.900	40	4	173
58-0977	3.0 X1.0 X#14W STL	24'	CFT	2.164	24	0	27
58-1004	1.00 ODX.065W HRPO	20'4"	CFT	.649	20	5	115
58-1071	4.0 X3.0 X.312W STL	40'	CFT	12.700	40	5	220
58-1094	6.0 X2.0 X.375W STL	40'	CFT	17.270	40	3	140
58-1098	6.0 X4.0 X.312W STL	40'	CFT	19.080	40	3	140
58-1142	16. X12. X.500W STL	20'	CFT	89.680	20	0	5
58-1150	3.50 SCH10 WLD TUBE	24'	CFT	5.180	24	4	135
58-1185	6.00 SCH10 WLD TUBE	42'	CFT	9.289	42	6	261
58-1192	1.25 SCH10 WLD TUBE	21'	CFT	1.806	21	0	10
58-1207	1.00 SCH80 WLD PIPE	21'	CFT	2.170	21	9	189
58-1235	.500 SCH40 WLD TUBE	21'	CFT	.851	21	337	7081
58-1238	1.50 SCH40 WLD TUBE	24'	CFT	2.720	24	6	164
58-1500	1.00 SCH 5 304 PIPE	20'	CFT	.868	20	0	17
58-1700	6.00 SCH 5 304 PIPE NP	21'	CFT	7.590	21	0	16
58-2004	.750 SCH40 WLD GLV PIPE NP		CFT	1.130	21	0	11
58-2021	2.50 SCH160 SML PIPE	19/21	CFT	9.999	21	9	189
61 - Threaded Rod							
61-0070	.437-14 TH ROD	12'	FT	.402	12	4	64
61-0130	.750-10 ZINC TH ROD	12'	FT	1.250	12	1	12
61-0177	.312-18 T304 TH ROD	6'	FT	.200	6	18	108
61-0181	.375-16 T316 TH ROD	6'	FT	.290	6	38	232
61-0184	.500-13 T316 TH ROD	6'	FT	.539	6	24	144

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
61 - Threaded Rod							
61-0470	10-32 TH ROD	6'	FT	.076	6	1	6
61-1095	.500-13 HI STRG B7	12'	FT	.539	12	0	1
61-1102	.625-11 HI STRG B7	12'	FT	.833	12	0	36