

Certifications available on most items.
 NP = No Papers/Certifications.
 * = Rusty or Damaged.
 Quantity on Hand and Total Drops based on Unit of Measure.

Call Sales Department for pricing.

Accurate as of 2021/09/17 4:12:27.

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
01 - HR Round and Square							
1-0440	1.125 RD HR A36	20' CWT	3.380	20	10	746	64
1-0700	2.250 RD HR A36 NP	20' CWT	13.520	20	0	78	78
1-0810	2.750 RD HR A572-50	18/22 CWT	20.190	22	1	794	349
1-0811	2.750 RD HR A36 NP	20' CWT	20.190	20	0	296	296
1-0824	2.812 RD HR C1117 N/P	20' CWT	21.120	20	2	845	0
1-0840	3.000 RD HR A36	20' CWT	24.030	20	0	819	342
1-0884	3.375 RD HR C1045 NP	20' CWT	30.420	20	0	137	137
1-1370	.875 SQ HR NP	20' CWT	2.600	20	1	94	42
1-1769	#6 RE BAR GR 60	8' CWT	1.500	60	0	576	576
1-1775	#7 RE BAR GR 60	30' CWT	2.044	30	41	2514	0
02 - HR Strips							
2-0085	.125 X .625 P&O HR NP	20' CWT	.270	20	3	20	3
2-0220	.125 X 1.750 P&O HR STR	20' CWT	.740	20	381	5693	40
2-0265	.125 X 2.500 P&O HR STR	20' CWT	1.060	20	77	1656	15
2-0560	.187 X .875 P&O HR STR	20' CWT	.560	20	42	476	0
2-0605	.187 X 1.125 P&O HR STR	20' CWT	.720	20	203	2927	0
2-0770	.187 X 3.500 P&O HR STR**	20' CWT	2.230	20	1	45	0
2-0780	.187 X 3.250 P&O 1020	10' CWT	2.072	10	27	560	0
2-0820	.187 X 5.000 HR STR	20' CWT	3.188	20	1	64	0
2-8955	.074 X .745 CR	COIL CWT	.188	1276	1	278	0
03 - HR Flats							
3-0325	.250 X 2.50 HR	20' CWT	2.130	20	7	373	34
3-0645	.312 X 2.50 HR FL	20' CWT	2.660	20	1	54	0
3-0660	.312 X 4.00 HR FL	20' CWT	4.250	20	1	85	0
3-0680	.312 X 7.00 HR FL	20' CWT	7.438	20	1	424	141

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
03 - HR Flats							
3-0688	.312 X 11.0 UM PL	20' CWT	11.700	20	1	234	0
3-0960	.375 X 3.50 HR FL	20' CWT	4.460	20	42	3823	74
3-1400	.625 X 1.00 HR FL	20' CWT	2.125	20	0	15	15
3-1480	.625 X 2.25 HR FL	20' CWT	4.781	20	41	4022	74
3-1505	.625 X 2.50 HR FL	20' CWT	5.310	20	23	2545	0
3-1535	.625 X 4.00 HR FL	20' CWT	8.500	20	0	119	119
3-1640	.750 X 1.75 HR FL	20' CWT	4.460	20	39	3480	0
3-1700	.750 X 2.50 HR FL	20' CWT	6.380	20	25	3505	204
3-1800	.750 X 6.00 HR FL	20' CWT	15.300	20	40	12758	231
3-1845	.750 X 10.0 HR FL	20' CWT	25.500	20	0	412	412
3-1935	1.00 X 1.25 HR FL	20' CWT	4.250	20	28	2454	29
3-1940	1.00 X 2.00 HR MANGANESE	18' CWT	6.800	18	0	287	289
3-2158	1.25 X 2.25 HR FL	20' CWT	9.563	20	0	96	96
3-2230	1.25 X 5.50 HR FL	20' CWT	23.380	20	0	437	437
3-2340	1.50 X 2.50 HR FL NP	20' CWT	12.750	20	0	133	133
3-2380	1.50 X 4.00 HR FL	20' CWT	20.400	20	5	2631	227
3-2387	1.50 X 6.00 HR FL	20' CWT	30.600	20	0	158	158
3-2600	2.00 X 5.00 HR FL	20' CWT	34.000	20	0	166	166
3-2700	3.00 X 5.00 HR FL	20' CWT	51.000	20	0	74	74
3-2720	4.00 X 5.00 HR FL	20' CWT	68.064	20	0	628	628
04 - HR Bar Angel							
4-0020	.500 X .50 X .125 L	20' CWT	.380	20	4	87	56
4-0270	1.375 X .87 X .187 L NP	20' CWT	1.320	20	0	24	24
4-0705	2.500 X 2.50 X .375 L	20' CWT	5.900	20	1	233	115
05 - HR Structural Angle							
5-0360	3.5 X 2.5 X .250 L	20' CWT	4.900	20	0	35	35
5-0440	3.5 X 3.0 X .250 L	20' CWT	5.400	20	42	4621	32
5-0480	3.5 X 3.0 X .500 L	40' CWT	10.200	40	0	99	99
5-0497	3.5 X 3.5 X .250 L	40' CWT	5.800	40	18	4943	767
5-1160	7.0 X 4.0 X .375 L	40' CWT	13.600	40	0	82	82
5-1165	7.0 X 4.0 X .500 L	40' CWT	17.900	40	11	8711	122
5-1220	8.0 X 4.0 X .750 L	40' CWT	28.700	40	1	3161	866

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops	
05 - HR Structural Angle								
5-1420	8.0 X 8.0 X .750 L	20'	CWT	38.900	20	0	451	451
07 - S & W & C, Shape & T								
7-0010	S 3 X 5.7#	40'	CWT	5.700	40	11	2644	114
7-0032	S 3 X 7.5#	20'	CWT	7.500	20	4	749	0
7-0035	S 4 X 7.7#	40'	CWT	7.700	40	0	761	761
7-0125	S 6 X 17.25#	40'	CWT	17.250	40	0	121	121
7-0338	W 12 X 65.0#	50'	CWT	65.000	50	4	13000	0
7-0383	W 10 X 49.0#	60'	CWT	49.000	60	0	689	689
7-0404	W 12 X 22.0#	60'	CWT	22.000	60	0	699	699
7-0411	W 10 X 45.0#	60'	CWT	45.000	60	0	765	765
7-0426	W 12 X 35.0#	40'	CWT	35.000	40	0	446	446
7-0440	W 12 X 65.0#	60'	CWT	65.000	60	2	8295	487
7-0443	W 12 X 58.0#	40'	CWT	58.000	40	0	811	811
7-0444	W 12 X 72.0#	40'	CWT	72.000	40	2	5760	0
7-0445	W 12 X 72.0#	45'	CWT	72.000	45	4	12960	0
7-0453	W 14 X 30.0#	40'	CWT	30.000	40	0	302	302
7-0459	W 14 X 34.0#	40'	CWT	34.000	40	0	306	306
7-0640	C 4 X 7.25#	40'	CWT	7.250	40	1	290	0
7-0805	MC 6 X 15.3#	40'	CWT	15.300	40	15	9917	139
7-0840	C 7 X 14.75#	40'	CWT	14.750	40	1	590	0
7-1112	MC12 X 50.0#	40'	CWT	50.000	40	0	528	528
08 - HR Sheet								
8-0365	7 GA HR CS-B 48 X 96		CWT	7.500	32	5	1200	0
8-0785	7 GA HR CS-B 72 X 120		CWT	7.500	60	4	1809	0
8-1523	10 GA HR GR50 60 X 120		CWT	5.625	50	0	120	120
09 - CR Sheet								
9-9035	.05 CR 1095 48/51RC 12 X 96		CWT	2.049	8	3	51	0
10 - Galvanized Sheet								
10-0012	10 GA GALV G90 48 X 120		CWT	5.780	40	20	4799	154
10-0115	14 GA ALUMINIZED 48 X 96		CWT	3.280	32	1	105	0

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
10 - Galvanized Sheet							
10-0119	14 GA GALV G90	48 X 96	CWT	3.280	32	0	62
10-0280	18 GA GALV G90	48 X 120	CWT	2.150	40	0	48
10-0600	24 GA GALV G90	48 X 96	CWT	1.156	32	0	12
10-0700	26 GA GALV G90	48 X 96	CWT	.910	32	0	17
11 - HR Plate							
11-0316	.250 HR A572 GR 50	60 X 120	CWT	10.210	50	0	359
11-0322	.250 HR A36	72 X 144	CWT	10.210	72	0	823
11-0501	.312 HR C1045	96 X 240	CWT	12.760	160	0	36
11-0552	.375 HR P&O A572G50	48 X 120	CWT	15.320	40	0	511
11-0556	.375 HR P&O A-36	60 X 120	CWT	15.320	50	1	901
11-0568	.375 HR CS-B	72 X 120	CWT	15.320	60	0	492
11-1351	.750 A516 GR 70	96 X 240	CWT	30.630	160	0	390
11-1354	.750 HARDOX AR 450	96 X 288	CWT	30.630	192	0	666
11-1515	.875 A572 GR 50	96 X 240	CWT	35.740	160	0	2332
11-2367	1.500 HARDOX AR400	72 X 96	CWT	61.200	192	0	542
11-2377	1.625 AISI C1015	96 X 240	CWT	66.300	160	0	1177
11-2716	2.125 A36	96 X 240	CWT	86.600	160	0	8078
12 - Floor Plate							
12-0260	.250 STL FLOOR PLT	48 X 120	CWT	11.250	40	1	551
12-0262	.250 STL FLOOR PLT	60 X 120	CWT	11.250	50	1	563
12-0368	.500 STL FLR PLT NP	72 X 240	CWT	21.450	120	0	306
12-0410	.750 STL FLOOR PLT	96 X 240	CWT	31.650	160	0	7300
13 - CD Flats							
13-0080	.125 X .50 CR 1018	12'RL	CWT	.213	12	685	1781
13-0100	.125 X .62 CR 1018	12'RL	CWT	.266	12	298	955
13-0120	.125 X .75 CR 1018	12'RL	CWT	.319	12	101	387
13-0140	.125 X .87 CR 1018	12'RL	CWT	.372	12	299	1346
13-0240	.125 X 2.00 CR 1018	12'RL	CWT	.850	12	120	1226
13-0280	.125 X 2.50 CR 1018	12'RL	CWT	1.063	12	23	301
13-0300	.125 X 3.00 CR 1018	12'RL	CWT	1.275	12	63	979
13-0381	.187 X .25 CR 1018	12'RL	CWT	.159	12	4	8
13-0500	.187 X .75 CR 1018	12'RL	CWT	.478	12	17	101
13-0570	.187 X 1.37 CR 1018	12'RL	CWT	.877	12	55	587

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
13 - CD Flats							
13-0580	.187 X 1.50 CR 1018	12'RL CWT	.956	12	4	57	0
13-0620	.187 X 2.00 CR 1018	12'RL CWT	1.275	12	62	964	5
13-0820	.250 X .50 CR 1018	12'RL CWT	.425	12	65	332	0
13-1100	.250 X 2.75 CD 1018 NP	RL CWT	2.338	13	26	810	0
13-1520	.312 X 2.00 CD 1018	12'RL CWT	2.125	12	48	1247	0
13-1780	.375 X 2.50 CD 1018	12'RL CWT	3.188	12	1	91	33
13-1940	.375 X 6.00 CD 1018	12'RL CWT	7.650	12	6	551	0
13-2540	.500 X 7.00 CD 1018	12'RL CWT	11.900	12	0	82	82
13-2580	.500 X 10.0 CD 1018	12'RL CWT	17.000	12	10	2370	127
13-2680	.625 X 1.00 CD 1018	12'RL CWT	2.125	12	60	1530	0
13-2840	.625 X 4.00 CD 1018	12'RL CWT	8.500	12	3	306	0
13-3120	.750 X 3.25 CD 1018	12'RL CWT	8.288	12	4	398	0
13-3240	.750 X 6.00 CD 1018	12'RL CWT	15.300	12	1	290	106
13-4290	1.50 X 4.50 CD 1018	12'RL CWT	22.950	12	0	275	0
13-4300	1.50 X 5.00 CD 1018	12'RL CWT	25.500	12	5	1569	0
13-4740	2.00 X 10.0 CD 1018	10'RL CWT	68.000	10	0	278	278
13-4825	2.50 X 8.00 CD 1018	12'RL CWT	68.000	12	0	205	205
14 - CD Rounds							
14-0065	.156 RD CD 1018	12'RL CWT	.065	12	1521	1218	1
14-0080	.156 RD CD 12L15X NP	12'RL CWT	.065	12	270	216	0
14-0170	.187 RD CD 12L14	12'RL CWT	.094	12	348	383	0
14-0250	.250 RD CD 1018 *	12' CWT	.167	12	802	1604	0
14-0260	.250 RD CD 1018	10'RL CWT	.167	10	8	16	2
14-0520	.322 RD CD 12L15X NP	12'RL CWT	.274	12	138	457	0
14-0850	.437 RD CD 12L14	12'RL CWT	.511	12	8	54	5
14-1000	.500 RD CD 1215 NP	12'RL CWT	.668	12	1	8	0
14-1020	.500 RD CD 12L14	12'RL CWT	.668	12	3	24	0
14-1080	.562 RD CD 1018	12'RL CWT	.845	12	178	1798	0
14-1220	.625 RD CD 12L14	12'RL CWT	1.040	12	88	1106	0
14-1330	.687 RD CD LEAD NP	12'RL CWT	1.260	12	1	30	0
14-1425	.750 RD CD 1141	12'RL CWT	1.500	12	2	45	9
14-1525	.812 RD CD 12L14	12'RL CWT	1.760	12	26	560	0
14-1590	.875 RD CD 12L14	12'RL CWT	2.040	12	1	25	0

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
14 - CD Rounds							
14-1820	1.06 RD CD 1018	20'RL CWT	3.010	20	0	18	18
14-2460	1.62 RD CD 1215	12'RL CWT	7.050	12	6	588	0
14-2830	1.93 RD CD 1045	20'RL CWT	10.020	20	2	591	190
14-2910	2.00 RD CD 12L14	12'RL CWT	10.680	12	49	6332	0
14-3120	2.31 RD CD 1018 NP	12'RL CWT	14.280	12	5	862	0
14-3140	2.31 RD CD 1215 NP	12'RL CWT	14.280	12	5	1028	0
14-3230	2.43 RD CD 12L14 NP	12'RL CWT	15.870	12	6	1327	0
14-3300	2.50 RD CD 12L14	12'RL CWT	16.690	12	7	1498	0
14-3485	2.87 RD CD 12L14 NP	12'RL CWT	22.070	12	6	1817	0
14-3750	3.37 RD CD 1018	20'RL CWT	30.420	20	1	1560	364
15 - CD Hexagon							
15-0120	.312 HEX CD C1018 NP	12'RL CWT	.287	12	396	1349	0
15-0170	.375 HEX CD C12L14	12'RL CWT	.414	12	233	1165	0
15-0210	.437 HEX CD C12L14	12'RL CWT	.563	12	34	236	0
15-0300	.562 HEX CD C1215 NP	12'RL CWT	.932	12	88	991	0
15-0745	1.375 HEX CD C12L14	12'RL CWT	5.570	12	3	265	0
15-0860	1.687 HEX CD C1018 NP	12'RL CWT	8.400	12	9	934	0
16 - CD Square							
16-0100	.250 SQ CD C1018	12'RL CWT	.213	12	47	123	0
16-0200	.312 SQ CD C12L14 NP	12'RL CWT	.332	12	68	272	0
17 - SS Rounds							
17-0020	.125 RD T303	12'RL CWT	.042	12	16	8	0
17-0990	.866 RD T304/304L	12'RL CWT	2.045	12	2	73	0
17-1268	1.250 RD T304	12'RL CWT	4.173	12	0	50	0
17-1310	1.250 RD T440C	12'RL CWT	4.170	14	0	8	8
17-1665	2.500 RD T304/304L NP	12'RL CWT	16.690	14	0	75	75
18 - SS Hexagon							
18-0250	.750 HEX T304 N/P	12'RL CWT	1.656	12	1	20	0
19 - SS Square							

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
19 - SS Square							
19-0042	.250 SQ T316	12'RL CWT	.213	12	0	2	2
20 - SS Flats							
20-0100	.125 X 2.000 T304	12'RL CWT	.850	12	3	33	0
20-0160	.187 X .750 T304	12'RL CWT	.478	12	3	22	0
20-0180	.187 X 1.000 T304 N/P	12'RL CWT	.638	12	7	61	0
20-0200	.187 X 1.500 T304	12'RL CWT	.957	12	1	12	0
20-0210	.187 X 1.750 T304	12'RL CWT	1.083	12	1	13	0
20-0248	.187 X 4.000 T304	12'RL CWT	2.560	12	0	9	9
20-0440	.375 X 1.000 T304 N/P	12'RL CWT	1.280	12	0	15	0
20-0460	.375 X 1.250 T304	12'RL CWT	1.580	12	1	40	21
20-0502	.375 X 2.000 T304	12'RL CWT	2.555	12	1	31	0
20-0530	.500 X 1.250 T304 N/P	12'RL CWT	2.140	12	1	26	0
20-0560	.500 X 2.000 T304 N/P	12'RL CWT	3.400	12	1	68	25
21 - SS Angle							
21-0065	1.0 X 1.0 X.25 L 304	20'RL CWT	1.490	20	0	18	18
22 - SS Plate							
22-0022	.187 T316L	48 X 96 CWT	8.580	32	0	69	69
22-0052	.250 T309	48 X 96 CWT	11.160	32	0	50	50
22-0059	.250 T316L	48 X 120 CWT	11.162	40	0	125	572
22-0114	.375 2205 DUPLEX	48 X 120 CWT	16.865	40	0	294	294
22-0132	.750 T316L	60 X 144 CWT	32.120	60	0	665	665
22-0200	1.500 T304L	96 X 64 CWT	63.340	42	0	85	85
23 - SS Sheet							
23-0022	7 GA T304 2B	48 X 72 CWT	7.871	24	3	742	0
23-0034	7 GA T316L 2B	48 X 144 CWT	7.871	48	0	113	113
23-0037	7 GA T304 2B	48 X 96 CWT	7.871	32	0	226	226
23-0039	7 GA T304 2B	60 X 90 CWT	7.871	37	0	225	225
23-0040	7 GA T304 2B	48 X 120 CWT	7.871	40	0	49	49

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops	
23 - SS Sheet								
23-0060	7 GA T304L 2B	60 X 120	CWT	7.871	50	0	490	490
23-0090	10 GA T304 2B	48 X 120	CWT	5.670	40	0	141	141
23-0195	11 GA T316L 2B	48 X 96	CWT	5.040	32	0	32	32
23-0203	11 GA T304 #4 PVC	48 X 120	CWT	5.040	40	0	72	0
23-0210	11 GA T304 2B	60 X 120	CWT	5.040	50	16	4067	0
23-0462	14 GA T316L 2B	48 X 120	CWT	3.154	40	0	21	21
23-0488	14 GA T304 2B	60 X 120	CWT	3.154	50	0	25	25
23-0620	16 GA T304 2B		CWT	2.499	32	0	78	78
23-0880	18 GA T304 2B	48 X 120	CWT	2.016	40	0	80	0
23-0882	18 GA T304 2B PVC	48 X 120	CWT	2.016	40	0	36	36
23-0920	18 GA T316L 2B	48 X 120	CWT	2.016	40	0	7	7
23-0935	20 GA T304 2B	60 X 76	CWT	1.491	31	23	1088	0
23-1043	20 GA T304 #4 PVC	48 X 120	CWT	1.491	40	0	33	33
24 - AL Sheet								
24-0070	.020 MIRO AL	49 X 96	CWT	.291	32	15	143	0
24-0270	.032 3003-H14 AL N/P	48X 120	CWT	.456	40	0	18	0
24-0840	.080 6061-T6 AL	48 X 144	CWT	1.130	48	0	53	53
24-1020	.090 6061-T6 AL	60 X 120	CWT	1.270	50	0	42	42
25 - AL Plate								
25-0115	.312 CAST NP*	48 X 144	CWT	4.560	48	1	219	0
25-0125	.312 2024-T351	48 X 144	CWT	4.560	48	0	6	6
25-0665	1.500 AL CAST N/P	60 X 144	CWT	21.820	60	1	2560	1250
25-0730	2.500 6061-T651	48 X 144	CWT	35.300	48	0	139	139
25-0750	3.000 6061-T651	48 X 144	CWT	42.340	48	0	181	181
25-0850	.375 6061-T6 TREAD	PLATE	CWT	5.430	32	0	31	31
26 - AL Rounds								
26-0140	.187 RD 2024-T4	12'RL	CWT	.034	12	7	3	0
26-0940	.750 RD 6061-T6511	12'RL	CWT	.535	12	2	13	0
26-1880	2.000 RD 2024-T351	12'RL	CWT	3.823	12	0	23	23
26-2580	5.000 RD 6061-T6	12'RL	CWT	23.800	12	1	311	25
28 - AL Square								

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
28 - AL Square							
28-0140	.750 SQ 2024-T4 N/P 12'RL	CWT	.683	12	4	33	0
29 - AL Rectangle							
29-0090	.125 X .750 6061-T6 N/P12'RL	CWT	.113	12	0	1	0
29-0160	.125 X 1.50 2024-T4 N/P12'RL	CWT	.228	12	1	3	0
29-0300	.187 X 1.00 6061-T6 N/P12'RL	CWT	.228	12	8	24	0
29-0305	.187 X 1.25 6061-T6 12'RL	CWT	.285	12	6	35	12
29-0365	.250 X .500 6061-T6 NP 12'RL	CWT	.150	12	3	6	0
29-0385	.250 X .750 6061-T6 N/P12'RL	CWT	.228	12	1	3	0
29-0620	.250 X 6.00 6061T651 12'RL	CWT	1.800	12	0	32	11
29-0700	.375 X .50 6061T6 12'RL	CWT	.228	12	1	3	0
29-0930	.500 X 1.50 6061-T6 N/P12'RL	CWT	.911	12	1	11	0
29-0955	.500 X 1.75 6061T6511 12'RL	CWT	1.060	12	11	152	0
29-1055	.50 X10.0 6061-T6 12'	CWT	6.049	12	4	312	21
29-1110	.62 X 2.0 6061T6511 12'RL	CWT	1.510	12	3	55	0
29-1114	.62 X 3.0 6061T6511 12'RL	CWT	2.212	12	35	946	0
29-1140	.75 X 1.0 6061T6511 12'RL	CWT	.911	12	4	54	0
29-1220	.75 X 2.0 6061T6511 12'RL	CWT	1.820	12	0	6	6
29-1260	.75 X 3.0 6061T6511 12'RL	CWT	2.730	12	1	90	25
29-1290	.75 X 8.0 6061-T6 12'RL	CWT	7.230	12	5	479	43
29-1361	1.0 X 2.0 6061T6511 12'RL	CWT	2.430	12	0	5	5
29-1480	1.5 X 2.5 6061-T6 12'RL	CWT	4.550	12	2	163	0
30 - AL Angle							
30-0020	.75 X .75 X.12 L 6061 25'RL	CWT	.200	25	1	5	0
30-0465	.75 X.50 X.125 CH 6063 16'RL	CWT	.221	16	13	46	0
30-0490	6.0 X 5.250# I 6061 N/P	CWT	5.250	25	0	34	34
30-0501	6.0 X 4.692# I 6061 25'RL	CWT	4.692	25	0	115	115
30-0510	8.0 X 6.350# I 6061 25'RL	CWT	6.350	25	1	159	0
30-0555	1.5 X 1.0 X.12 CH AL NP 12'R	CWT	.477	12	1	6	0
30-0558	1.7 X .37 X.12 CH AL NP 20'R	CWT	.300	20	0	1	1
30-0800	2.0 X .75 X.07 CH AL NP 12'R	CWT	.200	12	0	2	0
31 - AL Extrusion							

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
31 - AL Extrusion							
31-0080	1.0 X .50 X.12 C 6063 16'RL	CWT	.263	16	0	3	3
32 - AL Tubing & Pipe							
32-0065	.500 OD X.065W 6061 12'	CFT	.105	12	9	108	0
32-0360	1.00 OD X.125W 6061 24'	CFT	.404	24	0	8	8
32-0680	.50 SQ X.062W 6063T52 24'	CFT	.130	24	4	96	0
32-0688	.75 SQ X.062W 6063 24'	CFT	.214	24	0	44	44
32-0785	1.0 X .50 X.125W 6063 24'	CFT	.375	24	0	11	11
33 - Expanded MTL & PERF.							
33-0061	.500 #16 RAISD EXP 48 X 120	CSQFT	.860	40	1	40	0
33-0080	.500 #13 RAISD T304 48 X 96	CSQFT	1.380	32	1	32	0
33-0105	.750 # 9 RAISD EXP 48 X 120	CSQFT	1.800	40	0	24	0
33-0856	.063 .12X.18 AL PERF48 X 120	CSQFT	.550	40	4	169	0
33-0902	22GA .09X.18 GV PERF48 X 96	CSQFT	.938	32	1	32	0
34 - Brass Rounds							
34-0140	.125 RD CA360 BRASS 12'	CWT	.045	12	14	7	0
34-0380	.250 RD CA360 BRASS 12'	CWT	.181	12	0	1	1
34-0700	.500 RD CA360 BRASS 9/12'	CWT	.723	12	1	9	0
34-0740	.531 RD BRASS N/P 12'	CWT	.817	12	32	323	0
34-0760	.562 RD CA360 BRASS 12'	CWT	.915	12	0	5	5
34-0900	.750 RD CA360 BRASS 12'	CWT	1.630	12	1	20	0
40 - Lead Sheet, Zinc, Solder, Ells & Gates							
40-0320	.125 C260 HH BRASS 36 X 96	CWT	5.544	24	0	126	126
42 - Copper & Brass Tube							
42-0076	.37 OD X.03W CU TUBE NP	CWT	.145	19	8	23	0
49 - o-1 & o-6 Tool Steel							

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
49 - o-1 & o-6 Tool Steel							
49-4300	1.000 01	32 X 72	CWT	42.190	16	0	146 146
50 - A-2 & P-20 & 420							
50-3900	1.250 A2 DCF	32 X 72	CWT	52.420	16	0	1155 1155
50-4920	2.000 A2 DCF	32 X 72	CWT	83.090	16	0	575 575
50-5200	2.500 A2 DCF	32 X 72	CWT	103.390	16	0	722 722
50-5400	3.000 A2 DCF	32 X 72	CWT	123.840	16	0	1342 1342
50-8320	.750 420 ESR	32 X 72	CWT	32.110	16	0	268 268
50-8350	1.500 420 ESR	32 X 72	CWT	62.640	16	0	715 715
50-8380	2.500 420 ESR	32 X 72	CWT	103.392	16	0	424 424
51 - D-2 & S-7							
51-4900	1.750 D2 DCF	32 X 72	CWT	72.360	16	0	472 737
51-8290	1.000 S7 DCF	32 X 72	CWT	42.190	16	0	274 274
51-8585	1.500 S7 DCF	32 X 72	CWT	62.640	16	0	451 451
51-8746	2.000 S7 DCF	32 X 72	CWT	83.090	16	0	288 288
51-8860	2.500 S7 DCF	32 X 72	CWT	103.390	16	0	547 547
52 - MarshAlloy & Alloy Rounds							
52-1610	1.500 4140/42PH	32 X 72	CWT	62.640	16	0	11 11
52-1611	2.000 4140/42PH	32 X 72	CWT	83.090	16	0	259 259
52-1660	2.250 4140/42PH	32 X 72	CWT	93.310	16	0	769 769
52-1700	2.500 4140/42PH	32 X 72	CWT	103.390	16	0	113 113
52-3570	HR 4.50 RD 4140 A	18/24	CWT	54.130	24	0	450 450
52-3715	HR 8.00 RD 4130 SR	24'RL	CWT	170.900	24	0	3628 3628
52-3940	CD .500 RD 4140 QT	12'	CWT	.670	12	42	336 0
52-4025	CD .750 RD 4140 A	12'	CWT	1.500	12	58	1044 0
53 - Bethadur, Brake Die L6 Bethalloy & H-13							
53-4200	1.000 H13 A	32 X 72	CWT	42.190	16	0	660 660
53-4750	4.000 H13 A	RANDOM	CWT	167.040	16	0	1596 1596
58 - Steel Tubing & Pipe							

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
58 - Steel Tubing & Pipe							
58-0006	1.00 ODX.375W STL	24'	CFT	2.500	24	1	24 0
58-0019	.375 ODX.028W DOM	24'RL	CFT	.104	24	0	82 82
58-0045	.875 ODX.134W DOM	17/24	CFT	1.062	24	17	430 0
58-0046	.562 ODX.095W T304	20'RL	CFT	.475	20	8	160 0
58-0080	.500 ODX.065W DOM TY5	17/24	CFT	.302	24	23	660 92
58-0090	.875 ODX.065W CREW	20'	CFT	.562	20	89	1794 0
58-0096	1.00 ODX.188W DOM	17/24	CFT	1.630	24	13	312 0
58-0099	1.00 ODX.120W HREW	20'	CFT	1.120	20	1	20 0
58-0147	1.25 ODX.065W T304 WLD	20'RL	CFT	.823	20	72	1440 0
58-0152	1.00 ODX.109W DOM	20'	CFT	1.061	20	0	3 3
58-0156	1.50 ODX.095W J524 HY SML	20'	CFT	1.426	20	2	40 0
58-0215	1.75 ODX.420W DOM	17/24	CFT	5.961	24	0	5 5
58-0220	1.75 ODX.375W DOM	17/24	CFT	5.507	24	0	6 6
58-0334	2.50 ODX.312W DOM TY5	20'RL	CFT	5.335	24	0	20 0
58-0340	2.50 ODX.250W DOM	17/24	CFT	6.008	24	1	29 5
58-0466	6.00 ODX.120W HREW	20'	CFT	7.536	20	2	50 10
58-0539	1.00 SQ X #16W T304	20'RL	CFT	.827	20	170	3400 0
58-0605	1.50 SQ X #11W T304	20'RL	CFT	2.252	20	1	40 4
58-0631	2.00 SQX#162 T304 180P	NP RL	CFT	1.710	20	1	20 0
58-0634	2.00 SQ X #16W T304 NP	20'RL	CFT	1.710	20	1	20 0
58-0797	3.00 SQ X #14W STL *	24'	CFT	3.293	24	16	384 0
58-0861	6.00 SQ X.313W STL *	40'	CFT	23.340	40	0	45 45
58-0879	8.00 SQ X.250W STL	40'	CFT	25.820	40	0	19 20
58-0977	3.0 X1.0 X#14W STL	24'	CFT	2.164	24	0	16 16
58-1020	3.0 X2.0 X#14W STL	24'	CFT	2.730	24	9	216 0
58-1085	5.0 X2.0 X.250W STL	24'	CFT	10.510	24	2	71 23
58-1094	6.0 X2.0 X.375W STL	40'	CFT	17.270	40	2	80 0
58-1098	6.0 X4.0 X.312W STL	40'	CFT	19.080	40	2	95 15
58-1150	3.50 SCH10 WLD TUBE	24'	CFT	5.180	24	3	111 16
58-1219	3.00 SCH40 WLD PIPE NP	21'	CFT	7.580	21	0	16 16
58-1930	4.00 SCH10 304 PIPE	20'	CFT	5.840	20	0	124 124
58-2021	2.50 SCH160 SML PIPE	19/21	CFT	9.999	21	8	168 0

60 - Plexiglas

Item Number	Description-----*	Unit of Measure	Weight /Foot	Standard Length	Estimated Pieces	Quantity On Hand	Total Drops
60 - Plexiglas							
60-0230	.177 POLYCARBONATE 48 X 96	SQFT	1.106	32	2	64	0
60-0245	.220 ACRYLIC GRAY 48 X 96	SQFT	1.371	32	27	864	0
61 - Threaded Rod							
61-0020	.250-20 ** TH ROD 12'	FT	.120	12	3	36	0
61-0045	.312-18 ZINC TH ROD 12'	FT	.200	12	3	36	0
61-0060	.375-16 TH ROD 12'	FT	.290	12	21	283	21
61-0070	.437-14 TH ROD 12'	FT	.402	12	0	16	16
61-0177	.312-18 T304 TH ROD 6'	FT	.200	6	18	108	0
61-0180	.375-16 T304 TH ROD N/P 6'	FT	.290	6	1	6	0
61-0181	.375-16 T316 TH ROD 6'	FT	.290	6	28	177	4
61-0184	.500-13 T316 TH ROD 6'	FT	.539	6	11	66	0